

- 8) HUECAS, S. (2001). «Ole e 9, a major olive pollen allergen is a 1,3-beta-glucanase. Isolation, characterization, amino acid sequence and tissue specificity», J Biol Chem 276, pp. 27959-66
- 9) ASTURIAS, J.A. (1977). «Cloning and expression of the panallergen profilin and the major allergen (Ole e 1) from olive tree pollen», J Allergy Clin Immunol 100, pp. 35-72
- 10) LEDESMA, A. (1998). «Molecular cloning and expression of active Ole e 3, a major allergen from olive-tree pollen and member of a novel family of Ca²⁺-binding proteins (polcalcins) involved in allergy», Eur J Biochem 1, pp. 4544-9
- 11) AGUILERA, F. (2013). «Heat accumulation period in the mediterráneas región: phenological response of the olive in different climate areas (Spain, Italy and Tunisia) », Int J Biometeorol 49, pp. 184-8
- 12) GARCIA-MOZO, H. (2014). «Statistical approach to the analysis of olive long-term pollen season trends in southern Spain», Sci Total Environ 1, pp. 473-4
- 13) GALAN, C. (2013). «Airborne olive pollen counts are no representative of exposure to the major allergen Ole e 1», Allergy. 2013; 68: 809-12
- 14) RODRIGUEZ R, (2007). «Olive pollen recombinant allergens: value in diagnosis and immunotherapy», J Investig Allergol Clin Immunol 17, pp. 4-10
- 15) OROVITG, A. (2011). «Enhanced diagnosis of pollen allergy using specific immunoglobulin E determination to detect major allergens and panallergens», J Investig Allergol Clin Immunol 21, pp.253-9
- 16) LETRAN, A. (2013). «Measurement of IgE to pollen allergen components is helpful in selecting patients for immunotherapy», Ann Allergy Asthma Immune 111, pp. 295-7
- 17) DUFFORT, O. (2006). «Variability of Ole e 9 allergen in olive pollen extracts: relevance of minor allergens in immunotherapy treatments», Into Arch Allergy Immune. 2006; 140: 131-8
- 18) web seaic <http://www.seaic.org/inicio/guia-farmacoterapeutica> de inmunoterapia.